



CompTIA

Exam SG0-001

CompTIA Storage+ Powered by SNIA

Version: 8.1

[Total Questions: 250]

Question No : 1

Which of the following is an indication of acceptable storage array performance?

- A. High cache hit ratio
- B. Low MTTF
- C. Low buffer-to-buffer credits
- D. High I/O wait

Answer: A

Question No : 2

When setting up replication for application spanning multiple LUNs, which of the following replication features should be utilized?

- A. Clone
- B. Snapshot
- C. Semi-synchronous Replication
- D. Consistency Group

Answer: D

Question No : 3

Which of the following is the difference between a Tape Library and a Tape Auto-loader?

- A. A Tape Library supports a tape access door.
- B. A Tape Library supports multiple tape drives.
- C. A Tape Library supports a tape robot.
- D. A Tape Library supports multiple tapes.

Answer: B

Question No : 4

Which of the following requires a MINIMUM of three drives and can survive the loss of up

to any two drives?

- A. RAID 1
- B. RAID 0+1
- C. RAID 5
- D. RAID 6

Answer: D

Question No : 5

An IP-based datacenter is adding SCSI tape and disk assets to be used by multiple servers. Which of the following will need to be added?

- A. Router
- B. Bridge
- C. GiGE switch
- D. 10/100 switch

Answer: B

Question No : 6

Which of the following terms refers to the storage infrastructure as a whole?

- A. Fabric
- B. Connection
- C. SAN
- D. NAS

Answer: C

Question No : 7

Which of the following is the NATIVE capacity of an LTO-4 tape cartridge?

- A. 200 GB

- B. 400 GB
- C. 800 GB
- D. 1TB

Answer: C

Question No : 8

Which of the following is the BEST media to quickly backup a portable 30 GB file?

- A. LTO
- B. Flash Drive
- C. DVD
- D. Blu-Ray

Answer: B

Question No : 9

Which of the following is a meshed topology of server nodes, switches, and storage nodes?

- A. Arbitrated loop
- B. FCoTR
- C. Fabric
- D. Zone

Answer: C

Question No : 10

Given the below system requirements:

- Two Fabrics
- Each fabric has 4 switches, 1 core director and 3 edge switches
- A new storage array is being added

- HA environment that is fully redundant

Where would a storage administrator MOST likely place the storage and how many connections would the administrator need to connect the array to the environment?

- A. Connected to the core; all connections from the storage array controller 1 go to fabric A and controller 2 goes to fabric B.
- B. Connected to the edge switches; each controller has its connections balanced between all edge switches on both fabrics.
- C. Connected to the edge switches; controller 1 has its connections balanced between all edge switches on fabric A, controller 2 has its connections balanced between all edge switches on fabric B.
- D. Connected to the core; half of the connections to each storage array controller connects to each of the fabrics.

Answer: D

Question No : 11

Which of the following is recommended for mirroring data over long distances when the transaction rate is high and impact to the performance on the main site must be minimized?

- A. Replication Consistent
- B. Synchronous
- C. Symmetric
- D. Asynchronous

Answer: D

Question No : 12

Which of the following replication types is the FASTEST?

- A. Synchronous
- B. Asynchronous
- C. Incremental
- D. Differential

Answer: A

Question No : 13

Which of the following would a company implement in order to ensure that critical system data backups are available in case the datacenter is lost due to a natural disaster?

- A. Snapshots
- B. e-vaulting
- C. OnsiteD2D
- D. OnsiteD2D2T

Answer: B

Question No : 14

Which of the following provides a point-in-time, copy-on-write copy of storage data?

- A. RAID hot spare
- B. LUN Migration
- C. Clone
- D. Snapshot

Answer: D

Question No : 15

An IT Administrator needs to have which of the following devices in order to share an FC storage system with multiple servers on a SAN?

- A. FC router
- B. FC switch
- C. FC hub
- D. FC HBA

Answer: B

Question No : 16

After a cleaning person left the network room, one of the paths to the SAN from Server A is no longer working. The redundant path is working fine. The cables are all connected securely but the HBA fault light is on. The switch shows no light on that port. Which of the following MOST likely occurred?

- A. The HBA was unseated.
- B. The Ethernet connection was briefly lost.
- C. The ISL was broken.
- D. The cable was damaged

Answer: D

Question No : 17

Which of the following Fibre Channel feature allows Virtual Machines to be seen individual^ on the fabric?

- A. VLAN
- B. Virtual Fabric
- C. NPIV
- D. Virtual Storage

Answer: C

Question No : 18

A SAN administrator is troubleshooting a connectivity issue between a new server and a FC switch. The link is running at 8Gbps and uses a 90 meter (295 feet) optical cable. Which of the following is the FIRST item the administrator should check or perform?

- A. Upgrade the switch firmware to the latest level.
- B. Verify the cable is OM-3 and not OM-2
- C. Run a temporary cable to bypass a patch panel.
- D. Replace the server's host bus adapter.

Answer: B

Question No : 19

An administrator notices an occasional spike in disk IOPS beyond what the disks can handle. Worried about application performance, the administrator talks with users, but the effect seems to have gone unnoticed. Which of the following is MOST likely preventing the users from experiencing the effects of the spikes?

- A. Redundant Fabric
- B. Fiber Channel
- C. Inter-Switch Links
- D. Controller Cache

Answer: D

Question No : 20

Which of the following technologies provides an abstraction of physical drives within a storage array?

- A. Fabric virtualization
- B. Disk virtualization
- C. SAN virtualization
- D. Server virtualization

Answer: B

Question No : 21

Which of the following are requirements for having an ISL between two FC switches? (Select TWO).

- A. Both switches have to be the same model.
- B. The connecting ports need to be E-ports.
- C. The connecting ports need to be F-ports.
- D. Each switch has to have a unique domain ID.

E. Both switches need to be running the same firmware level.

Answer: B,D

Question No : 22

Which of the following features can automatically facilitate a vendor service call in the event of a SAN component failure?

- A. Predictive trending
- B. SMS alert to administrator
- C. Call home
- D. SNMP

Answer: C

Question No : 23

In order to protect the storage area network, a new firewall has been installed at the company's datacenter. Once installed, all servers lost the remote storage and crashed. Which of the following will restore communication between the servers' network and the SAN?

- A. UDP port 6320 must be permitted between the two networks.
- B. TCP port 3260 must be permitted between the two networks.
- C. All servers must be configured to use hardware iSCSI initiators.
- D. All servers must rescan the LUNs which have been masked by the firewall

Answer: B

Question No : 24

An administrator would like to employ a strategy to use SAN space more efficiently. Data that has a high I/O and is accessed often should be moved to SSD and Fiber Channel drives while data accessed less often should be moved to the higher capacity SATA drives. Which of the following features describes this strategy?

- A. SAN snapshot
- B. Storage base lining
- C. Data tiering
- D. Capacity planning

Answer: C

Question No : 25

Which of the following describes an ISL connection?

- A. Between an initiator and a target
- B. Between a specific node (NL-port) and an a switch
- C. From any Loop port within a Loop
- D. Between two fabric switches

Answer: D

Question No : 26

Two single-port 2Gb HBAs can support up to which of the following?

- A. 200MB/S
- B. 320MB/S
- C. 400MB/S
- D. 4200MB/S

Answer: C

Question No : 27

How many disks are required to create RAID 3 utilizing five data drives with a hot spare?

- A. 5
- B. 6
- C. 7
- D. 10

Answer: C

Question No : 28

To provide increased storage availability, the system administrator purchased a storage array with two controllers. Which of the following is a reason a server would lose its storage when only one of the storage controllers fails?

- A. Improper multipathing configuration
- B. Hard zoning has been implemented
- C. The switch fabric is not redundant
- D. SCSI disks have not been properly terminated

Answer: A

Question No : 29

An administrator would like to combine several ISLs into a single virtual connection. Which of the following technologies should be implemented to accomplish this?

- A. LUN Masking
- B. Trunking
- C. Flow Control
- D. VLAN Trunking

Answer: B

Question No : 30

An array has five drives, and each drive is 300GB in capacity. If an administrator applies RAID 5, which of the following is the usable capacity of the five drives?

- A. 600 GB
- B. 900 GB
- C. 1.2 TB
- D. 1.5 TB

Answer: C

Question No : 31

When connecting power for switches and storage equipment with two or more redundant power supplies in a rack?

- A. Power supplies from a single component should be connected to the same PDU
- B. There should be a separate PDU for each device in the rack.
- C. Power supplies from a single component should be connected to different PDUs.
- D. Each rack should have only one PDU.

Answer: C

Question No : 32

Queue Depths can be defined as which of the following?

- A. A value of the FICON status menu
- B. The number of pending SCSI commands
- C. A type of issue with large bandwidth
- D. The number of Layer 2 processes on the fiber

Answer: B

Question No : 33

An administrator cannot get the initiator to discover an iSCSI target. The switch displays all green lights on the port but by moving the cable from one port on the switch to another, the initiator discovers the target. Which of the following is MOST likely the issue?

- A. Incorrect VLAN setting on the switch
- B. Switch port was shutdown
- C. Incorrect configuration of the target NIC
- D. Incorrect configuration of the initiator NIC

Answer: A

Question No : 34

A host-based logical volume manager is used to migrate data from an old array to a newer one. The storage administrator has completed the physical connections, zoning, and masking, but the storage volumes from the new array are still not visible on the host. Which of the following steps should be performed NEXT?

- A. Change the HBA driver topology configuration
- B. Replace failed HBA
- C. Run fcping
- D. Bus rescan

Answer: D

Question No : 35

One of the disks in a RAID 5 configuration on a NAS device has failed. Which of the following technologies would BEST allow a technician to replace the failed disk without interrupting service to the device?

- A. Fibre channel array
- B. Hot spare disk
- C. Disk enclosure
- D. Hot pluggable disk

Answer: D

Question No : 36

A pair of SAN-attached servers will be clustered using host clustering, which of the following should the storage administrator do to support that configuration?

- A. Volumes should be mapped to one server and then the second server will provide redundancy
- B. Shared volumes should be mapped to both servers via a single storage interface.
- C. Storage volumes from separate storage arrays should be mapped to each server via

separate fabrics.

D. Shared volumes should be mapped to both servers via multiple storage interfaces.

Answer: D

Question No : 37

Which of the following cable types has the HIGHEST possible throughput?

- A. Single-mode fiber
- B. CAT6
- C. CAT5
- D. TwinAX

Answer: A

Question No : 38

Which of the following data security types would be used to enforce access management policies? (Select TWO)

- A. Disk encryption
- B. ACL
- C. Physical security
- D. Network encryption
- E. Checksums

Answer: B,C

Question No : 39

An administrator would like to implement a storage appliance that is able to provide access to NFS mounts and CIFS shares. Which of the following solutions would MOST likely provide this type of access?

- A. vSAN
- B. iSCSI target

- C. FCoE SAN
- D. NAS

Answer: D

Question No : 40

A security administrator wants to set up various alerts on critical systems to be sent to the administrator's email and cell phone. Which of the following options would need to be configured to ensure the delivery of those alerts?

- A. TFTP
- B. SMTP
- C. SNMPv1
- D. telnet

Answer: B

Question No : 41

Data on a storage system was last replicated at 8:00 AM and the storage system had a major failure at 9:33 AM. The failure caused all changes to the data between 8:00 AM and 9:33 AM to be lost. The data loss was deemed acceptable based on the 2 hour:

- A. Mean Time to Data Loss (MTDL)
- B. Mean Time Between Failures (MTBF)
- C. Recovery Point Objective (RPO)
- D. Recovery Time Objective (RTO)

Answer: C

Question No : 42

Which of the following can be used to provide storage to multiple virtual servers through a single interface?

- A. Virtual fabric

- B. Virtual storage
- C. LVM
- D. NPIV

Answer: D

Question No : 43

An administrator wants to select a SAN with high availability features. Which of the following would be MOST applicable to high availability?

- A. Hot swappable components
- B. Solid state drive support
- C. Snapshot support
- D. Email alerting

Answer: A

Question No : 44

Which of the following copper cables provides the fastest MAXIMUM bandwidth to and from storage devices?

- A. CAT3
- B. CAT5
- C. CAT5e
- D. CAT6

Answer: D

Question No : 45

Which of the following are classified as management protocols? (Select TWO)

- A. WBEM
- B. iSCSI
- C. FCoE

- D. Syslog
- E. SMI-S

Answer: A,E

Question No : 46

When installing a disk array, which of the following is MOST important to consider with placement in a storage rack? (Select TWO).

- A. Fire suppression
- B. Weight consideration
- C. Power supply
- D. Rack stabilization
- E. Placement of front door

Answer: B,D

Question No : 47

A storage array has a mixture of 150GB, 300GB, 400GB, 500GB, and 1TB drives. Which of the following drives can a 300GB hot spare protect? (Select TWO).

- A. 150GB
- B. 300GB
- C. 400GB
- D. 500GB
- E. 1TB

Answer: A,B

Question No : 48

A fibre channel fabric needs to be portioned into smaller subsets to restrict actual communication throughout a fabric and must work on fibre channel level 2. Which of the following implementations must be physically setup to satisfy these requirements?

- A. Hard Zoning
- B. Soft Zoning
- C. E-port Replication
- D. LUN Masking

Answer: A

Question No : 49

Which of the following scenarios is the BEST candidate for thin provisioning?

- A. A database application that grows and contracts several times per day
- B. Storage utilization patterns that are slow and/or predictable
- C. Many high-utilization applications that tend to grow at the same time of every month
- D. Unexpected storage usage patterns are common

Answer: B

Question No : 50

A systematic shutdown of a storage array may be caused by which of the following?

- A. Datacenter ambient temperature is not maintained
- B. Inadequate weight distribution is not balanced
- C. Service processor inaccessibility
- D. Disk cabinet left unsecured

Answer: A

Question No : 51

A SAN administrator in a large datacenter has a number of racks with devices alerting for high temperatures randomly in the datacenter. There is sufficient cooling capacity for the datacenter. Which of the following design elements will address the random overheating issue?

- A. Cooling unit relocation

- B. Air dams under the raised floor
- C. Incorporate hot-cold isles
- D. Adequate power circuits

Answer: C

Question No : 52

Which of the following are hot-pluggable devices in a storage array? (Select TWO)

- A. HBA
- B. Power supply
- C. Disk
- D. Drive chassis
- E. ISL

Answer: B,C

Question No : 53

Which of the following is an open management standard specifically for storage?

- A. SNMP
- B. SLP
- C. SMI-S
- D. SMTP

Answer: C

Question No : 54

Which of the following are block level transports? (Select TWO)

- A. EXT3
- B. FCoE
- C. iSCSI
- D. NTFS

E. NFS

Answer: B,C

Question No : 55

A user's remote connection halts every time large sequential files are transferred to and from a specific server running 1 Gb/s iSCSI. The administrator has found no fault with the network, and during these transfers the network utilization of the switch port is very high. After the transfer is complete the user is able to reconnect to the server via terminal services. Which of the following would prevent this problem in the future? (Select TWO).

- A. Use a Dedicated iSCSI network and NIC instead of the production network.
- B. Set up IPsec and CHAP authentication for the iSCSI connection.
- C. Modify firewall rules to prevent terminal session starvation,
- D. Increase the time out of the Buffer to Buffer Credits on the NIC.
- E. Implement QoS or Class of Service features

Answer: A,C

Question No : 56

Which of the following storage types is BEST suited for data immutability?

- A. DAS
- B. SAN
- C. CAS
- D. NAS

Answer: C

Question No : 57

After installing a server based application, an administrator is failing to connect from their desktop. The administrator is able to ping the server by both IP and DNS name. Which of the following is causing the problem?

- A. Incorrect firewall settings
- B. Incorrect duplex setting
- C. Incorrect VLAN configuration
- D. Incorrect NIC configurations

Answer: A

Question No : 58

An application database is operating slowly and no faults have been detected on the storage or host. Which of the following will determine if the storage device is performing outside of its normal operating expectations?

- A. Current performance versus recorded baseline
- B. Thorough review of the audit logs of the device
- C. Forecast and capacity planning trend
- D. Thorough review of the switch and storage event logs

Answer: A

Question No : 59

Which of the following tape drive features allows multiple devices to be backed up simultaneously?

- A. Compression
- B. Shoe-shining
- C. Multi-streaming
- D. Multiplexing

Answer: D

Question No : 60

Which of the following storage technologies makes use of E-ports and F-ports?

- A. FC-AL

- B. SATA
- C. FCP
- D. SAS

Answer: C

Question No : 61

A technician, in a machine room, accidentally drops a floor tile on a fiber optic cable running from a single path host to a Fibre Channel switch. Which of the following symptoms would be MOST likely to occur if the cable is not replaced?

- A. The host will be visible to the switch but not see any defined volumes
- B. The host bus adapter will fail
- C. The switch SFP will fail
- D. The host will not be visible to the switch

Answer: D

Question No : 62

Which of the following encryption methods is being described when a secure encrypted tunnel is created between a host and a storage device, but the data stored on disk is not encrypted?

- A. Data At-Rest Encryption
- B. Host Encryption
- C. Network Encryption
- D. Data In-Flight Encryption

Answer: D

Question No : 63

An Exchange Completion Time (ECT) gives a technician information about which aspects of the environment? (Select TWO)

- A. Shows potential issues that are occurring and slowing down the network
- B. Tracks the exchange of data omitting the value for 10 latency
- C. Measures the data patterns for troubleshooting connectivity issues
- D. The overall performance of the switches and the connections that are causing bandwidth issues
- E. The general overall performance and 10 latency of the network

Answer: A,E

Question No : 64

Which of the following is a SAN initiator?

- A. Target mode Fibre Channel adapter
- B. Host Bus Adapter
- C. CIFS Ethernet interface
- D. SAN switch SFP

Answer: B

Question No : 65

The storage administrator is planning for growth and wants to ensure that the system's applications will not crash due to not having enough disk space. The storage administrator is also trying to avoid creating waste by installing more physical disk capacity than is required. Which of the following solutions would the storage administrator implement?

- A. LUN provisioning
- B. VLAN assignments
- C. Thin provisioning
- D. Load balancing

Answer: C

Question No : 66

A storage administrator is troubleshooting lack of connectivity between an iSCSI-initiator and iSCSI-target that is located behind a firewall. The firewall has the following active rule

base:

Allow udp port 3260

Allow tcp port 443

Allow icmp all

Deny all

Which of the following is the MOST likely issue?

- A. iSCSI does not function behind a firewall due to the RPC protocol.
- B. iSCSI also requires TCP/3260 to be allowed.
- C. The issue is not firewall related as iSCSI is not a TCP/IP-based protocol.
- D. iSCSI does not function behind a firewall due to NAT requirements.

Answer: B

Question No : 67

Which of the following computes a combined value of all pages and stamps the value on the tape media to be used to verify that whole backup?

- A. Differential backup
- B. D2D2T
- C. Page checksum
- D. Backup checksum

Answer: D

Question No : 68

Which of the following would MOST easily prevent zoning conflicts and fabric segmentation?

- A. Ensure zoning information from a new storage switch is cleared before adding it to the fabric.
- B. Only configure zoning once at installation; reconfigure all switches if zoning must

change.

- C. Create separate fabrics as zoning can only be configured on one switch.
- D. Configure zoning information on the HBA's not the storage switches.

Answer: A

Question No : 69

From a disaster recovery perspective, which of the following solutions would provide the MOST redundancy and high availability options?

- A. Data center with a single point of failure
- B. An infrastructure with a cold site
- C. An infrastructure with a hot site
- D. Datacenter with a cache battery backup and cache mirroring option for all servers

Answer: C

Question No : 70

Incoming data is detected as duplicate and is removed, allowing reduction of storage consumption. This is called which of the following?

- A. Single instance storage
- B. In-line deduplication
- C. Hierarchical data storage
- D. Post-process deduplication

Answer: B

Question No : 71

Buffer-to-buffer credit is used for which of the following?

- A. Managing number of available buffers on target
- B. Controlling the number of packets initiator can send in sequence
- C. Controlling frame flow on Fibre Channel link

D. Configuring the buffers used to store frames in switch

Answer: C

Question No : 72

Which of the following are current rotational speeds for Fibre Channel and SAS based hard drives? (Select TWO)

- A. 3400 RPM
- B. 5400 RPM
- C. 7000 RPM
- D. 10.000 RPM
- E. 15,000 RPM

Answer: D,E

Question No : 73

A system administrator has recently replaced a failed redundant HBA. Which of the following MUST be done in order to connect the LUNs to the replacement HBA?

- A. The iSCSI initiators must be restarted on the affected servers
- B. All drives must upload the new HBA firmware before it becomes active
- C. The SAN must rebuild the newly installed HBA's file system.
- D. The SAN zone must be configured for the new WWPN

Answer: D

Question No : 74

A storage system with a small number of 1TB disk drives has an issue involving high latency for an OLTP application. Which of the following items should the storage administrator consider FIRST?

- A. Replace the 1TB disk drives with 2TB disk drives.
- B. Increase the number of disk drives installed in the storage system

- C. Incorporate a new RAID array composed of SATA drives.
- D. Reduce the current amount of cache used by the controllers.

Answer: B

Question No : 75

When enabling Jumbo Frames for iSCSI operations, which of the following is true?

- A. It is a tunneling feature and only needs to be supported at the endpoints.
- B. It is incompatible with IPSec due to encryption functionality.
- C. Recommended size for Jumbo is 64K, which is max size of a SCSI packet.
- D. Must be supported end to end or performance problems in the network may occur.

Answer: D

Question No : 76

Which of the following backup methodologies would BEST be used to provide an instant copy of the current data within the same disk group?

- A. Snapshot
- B. Clone
- C. Incremental
- D. Differential

Answer: A

Question No : 77

The best practice for ensuring high I/O performance is

- A. Making the logical volumes the same size as the physical disk.
- B. Dedicating the physical disks to logical volumes.
- C. Spreading the logical volumes across all logical disks using striping.
- D. Spreading the logical volumes across all logical disks using concatenation.

Answer: C

Question No : 78

Which of the following RAID levels uses parity?

- A. RAID 0
- B. RAID 1
- C. RAID 0+1
- D. RAID 6

Answer: D

Question No : 79

When considering the BEST design for a SAN environment, which of the following is the MOST pivotal concept design flaw?

- A. Long distance connections
- B. Three phase power
- C. Single point of failure
- D. Fully redundant fabrics

Answer: C

Question No : 80

A storage administrator is reporting loss of connectivity between two datacenters that are connected via a fibre channel within close proximity. The network administrator verifies that the new fiber optic cable installed between the two sites is not the cause of this issue. Which of the following is the MOST likely cause of this network outage?

- A. Insufficient buffer credits
- B. Crossover cable is needed
- C. Faulty SFP
- D. Straight-thru cable is faulty

Microsoft Exams List

70-246 Dump PDF VCE	70-485 Dump PDF VCE	70-742 Dump PDF VCE	98-366 Dump PDF VCE
70-247 Dump PDF VCE	70-486 Dump PDF VCE	70-743 Dump PDF VCE	98-367 Dump PDF VCE
70-331 Dump PDF VCE	70-487 Dump PDF VCE	70-744 Dump PDF VCE	98-368 Dump PDF VCE
70-332 Dump PDF VCE	70-488 Dump PDF VCE	70-761 Dump PDF VCE	98-369 Dump PDF VCE
70-333 Dump PDF VCE	70-489 Dump PDF VCE	70-762 Dump PDF VCE	98-372 Dump PDF VCE
70-334 Dump PDF VCE	70-490 Dump PDF VCE	70-765 Dump PDF VCE	98-373 Dump PDF VCE
70-339 Dump PDF VCE	70-491 Dump PDF VCE	70-768 Dump PDF VCE	98-374 Dump PDF VCE
70-341 Dump PDF VCE	70-492 Dump PDF VCE	70-980 Dump PDF VCE	98-375 Dump PDF VCE
70-342 Dump PDF VCE	70-494 Dump PDF VCE	70-981 Dump PDF VCE	98-379 Dump PDF VCE
70-345 Dump PDF VCE	70-496 Dump PDF VCE	70-982 Dump PDF VCE	MB2-700 Dump PDF VCE
70-346 Dump PDF VCE	70-497 Dump PDF VCE	74-343 Dump PDF VCE	MB2-701 Dump PDF VCE
70-347 Dump PDF VCE	70-498 Dump PDF VCE	74-344 Dump PDF VCE	MB2-702 Dump PDF VCE
70-348 Dump PDF VCE	70-499 Dump PDF VCE	74-409 Dump PDF VCE	MB2-703 Dump PDF VCE
70-354 Dump PDF VCE	70-517 Dump PDF VCE	74-678 Dump PDF VCE	MB2-704 Dump PDF VCE
70-383 Dump PDF VCE	70-532 Dump PDF VCE	74-697 Dump PDF VCE	MB2-707 Dump PDF VCE
70-384 Dump PDF VCE	70-533 Dump PDF VCE	77-420 Dump PDF VCE	MB2-710 Dump PDF VCE
70-385 Dump PDF VCE	70-534 Dump PDF VCE	77-427 Dump PDF VCE	MB2-711 Dump PDF VCE
70-410 Dump PDF VCE	70-640 Dump PDF VCE	77-600 Dump PDF VCE	MB2-712 Dump PDF VCE
70-411 Dump PDF VCE	70-642 Dump PDF VCE	77-601 Dump PDF VCE	MB2-713 Dump PDF VCE
70-412 Dump PDF VCE	70-646 Dump PDF VCE	77-602 Dump PDF VCE	MB2-714 Dump PDF VCE
70-413 Dump PDF VCE	70-673 Dump PDF VCE	77-603 Dump PDF VCE	MB2-715 Dump PDF VCE
70-414 Dump PDF VCE	70-680 Dump PDF VCE	77-604 Dump PDF VCE	MB2-716 Dump PDF VCE
70-417 Dump PDF VCE	70-681 Dump PDF VCE	77-605 Dump PDF VCE	MB2-717 Dump PDF VCE
70-461 Dump PDF VCE	70-682 Dump PDF VCE	77-881 Dump PDF VCE	MB2-718 Dump PDF VCE
70-462 Dump PDF VCE	70-684 Dump PDF VCE	77-882 Dump PDF VCE	MB5-705 Dump PDF VCE
70-463 Dump PDF VCE	70-685 Dump PDF VCE	77-883 Dump PDF VCE	MB6-700 Dump PDF VCE
70-464 Dump PDF VCE	70-686 Dump PDF VCE	77-884 Dump PDF VCE	MB6-701 Dump PDF VCE
70-465 Dump PDF VCE	70-687 Dump PDF VCE	77-885 Dump PDF VCE	MB6-702 Dump PDF VCE
70-466 Dump PDF VCE	70-688 Dump PDF VCE	77-886 Dump PDF VCE	MB6-703 Dump PDF VCE
70-467 Dump PDF VCE	70-689 Dump PDF VCE	77-887 Dump PDF VCE	MB6-704 Dump PDF VCE
70-469 Dump PDF VCE	70-692 Dump PDF VCE	77-888 Dump PDF VCE	MB6-705 Dump PDF VCE
70-470 Dump PDF VCE	70-695 Dump PDF VCE	77-891 Dump PDF VCE	MB6-884 Dump PDF VCE
70-473 Dump PDF VCE	70-696 Dump PDF VCE	98-349 Dump PDF VCE	MB6-885 Dump PDF VCE
70-480 Dump PDF VCE	70-697 Dump PDF VCE	98-361 Dump PDF VCE	MB6-886 Dump PDF VCE
70-481 Dump PDF VCE	70-698 Dump PDF VCE	98-362 Dump PDF VCE	MB6-889 Dump PDF VCE
70-482 Dump PDF VCE	70-734 Dump PDF VCE	98-363 Dump PDF VCE	MB6-890 Dump PDF VCE
70-483 Dump PDF VCE	70-740 Dump PDF VCE	98-364 Dump PDF VCE	MB6-892 Dump PDF VCE
70-484 Dump PDF VCE	70-741 Dump PDF VCE	98-365 Dump PDF VCE	MB6-893 Dump PDF VCE

Cisco Exams List

010-151 Dump PDF VCE	350-018 Dump PDF VCE	642-737 Dump PDF VCE	650-667 Dump PDF VCE
100-105 Dump PDF VCE	352-001 Dump PDF VCE	642-742 Dump PDF VCE	650-669 Dump PDF VCE
200-001 Dump PDF VCE	400-051 Dump PDF VCE	642-883 Dump PDF VCE	650-752 Dump PDF VCE
200-105 Dump PDF VCE	400-101 Dump PDF VCE	642-885 Dump PDF VCE	650-756 Dump PDF VCE
200-120 Dump PDF VCE	400-151 Dump PDF VCE	642-887 Dump PDF VCE	650-968 Dump PDF VCE
200-125 Dump PDF VCE	400-201 Dump PDF VCE	642-889 Dump PDF VCE	700-001 Dump PDF VCE
200-150 Dump PDF VCE	400-251 Dump PDF VCE	642-980 Dump PDF VCE	700-037 Dump PDF VCE
200-155 Dump PDF VCE	400-351 Dump PDF VCE	642-996 Dump PDF VCE	700-038 Dump PDF VCE
200-310 Dump PDF VCE	500-006 Dump PDF VCE	642-997 Dump PDF VCE	700-039 Dump PDF VCE
200-355 Dump PDF VCE	500-007 Dump PDF VCE	642-998 Dump PDF VCE	700-101 Dump PDF VCE
200-401 Dump PDF VCE	500-051 Dump PDF VCE	642-999 Dump PDF VCE	700-104 Dump PDF VCE
200-601 Dump PDF VCE	500-052 Dump PDF VCE	644-066 Dump PDF VCE	700-201 Dump PDF VCE
210-060 Dump PDF VCE	500-170 Dump PDF VCE	644-068 Dump PDF VCE	700-205 Dump PDF VCE
210-065 Dump PDF VCE	500-201 Dump PDF VCE	644-906 Dump PDF VCE	700-260 Dump PDF VCE
210-250 Dump PDF VCE	500-202 Dump PDF VCE	646-048 Dump PDF VCE	700-270 Dump PDF VCE
210-255 Dump PDF VCE	500-254 Dump PDF VCE	646-365 Dump PDF VCE	700-280 Dump PDF VCE
210-260 Dump PDF VCE	500-258 Dump PDF VCE	646-580 Dump PDF VCE	700-281 Dump PDF VCE
210-451 Dump PDF VCE	500-260 Dump PDF VCE	646-671 Dump PDF VCE	700-295 Dump PDF VCE
210-455 Dump PDF VCE	500-265 Dump PDF VCE	646-985 Dump PDF VCE	700-501 Dump PDF VCE
300-070 Dump PDF VCE	500-275 Dump PDF VCE	648-232 Dump PDF VCE	700-505 Dump PDF VCE
300-075 Dump PDF VCE	500-280 Dump PDF VCE	648-238 Dump PDF VCE	700-601 Dump PDF VCE
300-080 Dump PDF VCE	500-285 Dump PDF VCE	648-244 Dump PDF VCE	700-602 Dump PDF VCE
300-085 Dump PDF VCE	500-290 Dump PDF VCE	648-247 Dump PDF VCE	700-603 Dump PDF VCE
300-101 Dump PDF VCE	500-801 Dump PDF VCE	648-375 Dump PDF VCE	700-701 Dump PDF VCE
300-115 Dump PDF VCE	600-199 Dump PDF VCE	648-385 Dump PDF VCE	700-702 Dump PDF VCE
300-135 Dump PDF VCE	600-210 Dump PDF VCE	650-032 Dump PDF VCE	700-703 Dump PDF VCE
300-160 Dump PDF VCE	600-211 Dump PDF VCE	650-042 Dump PDF VCE	700-801 Dump PDF VCE
300-165 Dump PDF VCE	600-212 Dump PDF VCE	650-059 Dump PDF VCE	700-802 Dump PDF VCE
300-180 Dump PDF VCE	600-455 Dump PDF VCE	650-082 Dump PDF VCE	700-803 Dump PDF VCE
300-206 Dump PDF VCE	600-460 Dump PDF VCE	650-127 Dump PDF VCE	810-403 Dump PDF VCE
300-207 Dump PDF VCE	600-501 Dump PDF VCE	650-128 Dump PDF VCE	820-424 Dump PDF VCE
300-208 Dump PDF VCE	600-502 Dump PDF VCE	650-148 Dump PDF VCE	840-425 Dump PDF VCE
300-209 Dump PDF VCE	600-503 Dump PDF VCE	650-159 Dump PDF VCE	
300-210 Dump PDF VCE	600-504 Dump PDF VCE	650-281 Dump PDF VCE	
300-320 Dump PDF VCE	640-692 Dump PDF VCE	650-393 Dump PDF VCE	
300-360 Dump PDF VCE	640-875 Dump PDF VCE	650-472 Dump PDF VCE	
300-365 Dump PDF VCE	640-878 Dump PDF VCE	650-474 Dump PDF VCE	
300-370 Dump PDF VCE	640-911 Dump PDF VCE	650-575 Dump PDF VCE	
300-375 Dump PDF VCE	640-916 Dump PDF VCE	650-621 Dump PDF VCE	
300-465 Dump PDF VCE	642-035 Dump PDF VCE	650-663 Dump PDF VCE	
300-470 Dump PDF VCE	642-732 Dump PDF VCE	650-665 Dump PDF VCE	
300-475 Dump PDF VCE	642-747 Dump PDF VCE	650-754 Dump PDF VCE	

HOT EXAMS

Cisco

[100-105 Dumps VCE PDF](#)
[200-105 Dumps VCE PDF](#)
[300-101 Dumps VCE PDF](#)
[300-115 Dumps VCE PDF](#)
[300-135 Dumps VCE PDF](#)
[300-320 Dumps VCE PDF](#)
[400-101 Dumps VCE PDF](#)
[640-911 Dumps VCE PDF](#)
[640-916 Dumps VCE PDF](#)

Microsoft

[70-410 Dumps VCE PDF](#)
[70-411 Dumps VCE PDF](#)
[70-412 Dumps VCE PDF](#)
[70-413 Dumps VCE PDF](#)
[70-414 Dumps VCE PDF](#)
[70-417 Dumps VCE PDF](#)
[70-461 Dumps VCE PDF](#)
[70-462 Dumps VCE PDF](#)
[70-463 Dumps VCE PDF](#)
[70-464 Dumps VCE PDF](#)
[70-465 Dumps VCE PDF](#)
[70-480 Dumps VCE PDF](#)
[70-483 Dumps VCE PDF](#)
[70-486 Dumps VCE PDF](#)
[70-487 Dumps VCE PDF](#)

CompTIA

[220-901 Dumps VCE PDF](#)
[220-902 Dumps VCE PDF](#)
[N10-006 Dumps VCE PDF](#)
[SY0-401 Dumps VCE PDF](#)